

Dosage form and strength: Each 50 g Ointment contains Precipitated Sulphur 2,63 g

### 1.5.5.2 CLEAN PROPOSED PATIENT INFORMATION LEAFLET

#### SCHEDULING STATUS:

S0

#### INTLAAHLAA NO. 1, 2,63 g, Ointment

#### Precipitated sulphur

**Read all of this leaflet carefully because it contains important information for you.**

INTLAAHLAA NO. 1 is available without a doctor's prescription, for you to treat a mild illness.

Nevertheless, you still need to use INTLAAHLAA NO. 1 carefully to get the best results from it.

- Keep this leaflet. You may need to read it again.
- Do not share INTLAAHLAA NO. 1 with any other person.
- Ask your health care provider or pharmacist if you need more information or advice.
- You must see a doctor if symptoms worsen or do not improve after a few days.

#### What is in this leaflet

1. What INTLAAHLAA NO. 1 is and what it is used for
2. What you need to know before you use INTLAAHLAA NO. 1
3. How to use INTLAAHLAA NO. 1
4. Possible side effects
5. How to store INTLAAHLAA NO. 1
6. Contents of the pack and other information

#### 1. What INTLAAHLAA NO. 1 is and what it is used for

INTLAAHLAA NO. 1 is a skin preparation used to treat pimples, ringworms and superficial fungal infections (fungus infections that affect the outer layers of the skin).

Dosage form and strength: Each 50 g Ointment contains Precipitated Sulphur 2,63 g

## **2. What you need to know before you use INTLAAHLAA NO. 1**

### **Do not use INTLAAHLAA NO. 1:**

- If you are hypersensitive (allergic) to sulphur or any of the other ingredients of INTLAAHLAA NO. 1.

### **Warnings and precautions**

#### **Take special care with INTLAAHLAA NO. 1:**

- Use externally only and avoid contact with eyes, mouth and other mucous membranes.
- Do not apply INTLAAHLAA NO. 1 to open wounds or to damaged or burned skin.

#### **Other medicines and INTLAAHLAA NO.1:**

Always tell your health care provider if you are taking any other medicine.

(This includes all complementary or traditional medicines).

INTLAAHLAA NO.1 may interact with topical products containing mercury which can cause a foul smell and stains the skin black.

INTLAAHLAA NO. 1 may change the colour of certain metals such as silver.

#### **Pregnancy and Breastfeeding:**

If you are pregnant or breastfeeding your baby, please consult your doctor, pharmacist or other health care professional for advice before using INTLAAHLAA NO.1.

Safety in pregnancy and lactation has not been established.

#### **Driving and using machines**

INTLAAHLAA NO. 1 will not affect your ability to drive or use machines.

## **3. How to use INTLAAHLAA NO. 1**

Do not share medicines prescribed for you with any other person.

Always use INTLAAHLAA NO. 1 exactly as described in this leaflet or as your doctor, pharmacist, or nurse has told you. Check with your doctor, pharmacist or nurse if you are not sure.

First wash the affected area with warm water, then apply the ointment vigorously, morning and night.

Dosage form and strength: Each 50 g Ointment contains Precipitated Sulphur 2,63 g

**If you use more INTLAAHLAA NO. 1 than you should:**

In the event of overdosage, consult your doctor or pharmacist. If neither is available, contact the nearest hospital or poison centre.

**If you forget to use INTLAAHLAA NO. 1:**

Continue with the next dose as directed.

Do not use double the amount to make up for forgotten individual doses.

**4. Possible side effects**

INTLAAHLAA NO. 1 can have side effects.

Not all side effects reported for INTLAAHLAA NO. 1 are included in this leaflet.

Should your general health worsen or if you experience any untoward effects while using INTLAAHLAA NO. 1, please consult your health care provider for advice.

Tell your doctor if you notice any of the following:

*Frequency unknown:*

- Skin irritation or inflammation such as dry, itchy, red and swollen skin.

If you notice any side effects not mentioned in this leaflet, please inform your doctor or pharmacist.

**Reporting of side effects**

If you get side effects, talk to your doctor, pharmacist, or nurse. You can also report side effects to SAHPRA via the “**6.04 Adverse Drug Reaction Reporting Form**”, found online under SAHPRA’s publications: <https://www.sahpra.org.za/Publications/Index/8>. By reporting side effects, you can help provide more information on the safety of INTLAAHLAA NO. 1.

**5. How to store INTLAAHLAA NO.1**

- Store at or below 25 °C.
- Keep the container tightly closed.
- Do not use after the expiry date stated on the label.
- Do not store in a bathroom.

Dosage form and strength: Each 50 g Ointment contains Precipitated Sulphur 2,63 g

**Store all medicines out of reach of children.**

Return all unused medicine to your pharmacist.

Do not dispose of unused medicine in drains or sewerage systems (e.g. toilets).

**6. Contents of the pack and other information**

**What INTLAAHLAA NO. 1 contains**

- The active substance is 2,63 g precipitated sulphur per 50 g ointment.
- The other ingredients are rose oil and white petroleum jelly.

**What INTLAAHLAA NO. 1 looks like and contents of the pack**

INTLAAHLAA NO. 1 is a smooth yellow ointment.

INTLAAHLAA NO. 1 ointment is supplied in 50 ml natural round plastic jars with a white snap-on cap, in packs of 50 g.

**Holder of Certificate of Registration**

Avid Brands S.A. (Pty) Ltd

Suite 9, Hillcrest Office Park

2 Old Main Road

Hillcrest,

3610

**This leaflet was last revised in**

31 October 2024

**Application number**

G2003 (Act 101/1965)

**Access to the corresponding Professional Information**

<https://www.avidbrands.co.za>

Contact information:

Email: [info@avidbrands.com](mailto:info@avidbrands.com)

Telephone: 0860 104 061